



INDEX MAPS.

T. 3N R. 1W 2nd Mer.



T. 4N R. 1W 2nd Mer.



Township N. 4 Range N. 1 West 2nd Mer

North Between Sec. 35 & 36 T. N. 4 R. N. 1 W.

40.00 Set a post for cor. to $\frac{1}{4}$ sec from which a
7 Buck 18 in dia bears S 11 E. 28 links dist; & a
Logwood 11 " " " S 11 E 19 " "

45.05 To a W. Oak 20 in dia stands on the line

80.40 Set a post for cor. to Sec. 25, 26, 35, & 36 T. N. 4
R. N. 1 W. from which a W. Oak 12 in dia
bears N 37 E. 21 links dist; & a do 10 " "
" S 18 E. 23 " " Sand & Yew; Timber
Oak, & 7 Buck

East On Random line between Sec. 25 & 36 T. N. 4 R. N. 1 W.

40.00 Set a temporary post for cor. to $\frac{1}{4}$ sec

80.47 Intersected Range line South of Sec. cor. 25 & 36
Sand & timber Same

West On True line between Sec. 25 & 36 T. N. 4
R. N. 1 W. 2nd Mer

40.20 Set the temporary post at aver. dist on true line
for cor. to $\frac{1}{4}$ sec from which a W. Oak 12 in dia
bears S 34 W. 23 links dist; & a do 12 " "
" S 62 E. 20 " "

80.40 To the post set for cor. to Sec. 25, 26, 35, & 36
T. N. 4 R. N. 1 W.

North Between Sec. 25 & 26 T. N. 4 R. N. 1 W.

40.00 Set post for cor. to $\frac{1}{4}$ sec from which a W. Oak
10 in dia bears S 22 W. 13 links dist;

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26
T. N. 4 R. N. 1 W. from which a W. Oak 10
in dia bears N 63 E. 27 links dist; & a do 20
" " S 87 W. 22 " "

Land thin and very brushy and the brush
burned by fires and fires;

East On a Random line between Sec. 24 & 25.

T N^o 4 MR N^o 177 2nd Mer. Ind^a

T N^o 4 MR N^o 177

- 40.00 Set a temporary post for cor to 1/4 sec
80.10 Intersected N & S line 10 links North of the
post set for cor to sec 24 & 25 on the R. line
Land very brushy; timber Oak.

West Between Sec. 24 & 25 On true line. T N^o 4 MR N^o 177

- 40.05 Set temporary post at aver. dist; on true line
for cor to 1/4 sec from which a W. Oak 18 in dia
bears East 45 links dist; & a L^o 13 - -
- N 61 W 32 - - -
80.70 To the post set for the cor to Sec. 23, 24, 25 &
26 T N^o 4 MR N^o 177.

North Between Sec. 23 & 24 T N^o 4 MR N^o 177

- 40.10 Set a post for cor to 1/4 sec from which a
W Oak 6 in dia bears S 23 E. 27 links dist; &
W Oak 7 - - - S 34 W 40 - - -
80.00 Set a post for cor to Sec. 13, 14, 23 & 24
T N^o 4 MR N^o 177 from which a W. Oak
24 in dia bears N 85 W. 20 links dist; & L^o
6 - - - N 83 E. 12 - - -
Land timber &c same as the last mile

East On a Random line between Sec. 13 & 24
T N^o 4 MR N^o 177

- 40.00 Set temporary post for cor to 1/4 sec
68.50 To a corner 12 1/2 miles corner N.E.
79.80 Intersected N & S line 20 links N. of sec 3 cor
for 13 & 24 on the R. line.
Land and Co forth same as the last mile

West Between Sec. 13 & 24 On true line T N^o 4
MR N^o 177 2nd Mer.

- 39.90 Set temporary post at aver dist on true line for.

T N^o 4 N.R. N^o 177. 2nd Mer Ind^a.

cor to 74 sec from which a W Oak 20 in dia.
beams W 28 36 timber ash; & a L^o 7 in
~ N 78 E 62 in ~
79.80 To the post for cor to sec 13, 14, 23, 124

North Between Sec^s 13 & 14 T N^o 4 N.R. 177.

40.00 Set a post for cor to 74 sec from which a
beam 6 in dia beams N 37 W. 3 timber ash;
W Oak 12 in ~ ~ N 36 E. 20 in ~
58.40 To a B Oak 12 in dia beams on the line
86.00 Set a post for the cor to sec. 11, 12, 13, & 14 T N^o
4 N.R. N^o 177. From which a Poplar 12 in dia
beams East 9 timber ash; & a L^o 10 in ~
~ 96 W 26 in ~ Sands bushy Timber
same

East Between Sec^s 12 & 13 On all random line

40.00 Set a tumpy post for cor to 74 sec
79.94 Intersected N.S. line 50 timber N of sec cor
for 12 & 13. T N^o 4 N.R. N^o 177
Timber, Sands & same

West Between Sec^s 12 & 13. On true line

39.97 Set tumpy post at aver. dist; on true line for
cor to 74 sec from which a Log more 6 in dia
beams S 57 W. 10 the ash; & W Oak 7 in ~
~ N 84 E. 14 in ~
79.94 To sec cor

North Between Sec^s 12 & 15. T N^o 4 N.R. N^o 177.

13.25 To a W Oak 20 in dia stands in the line
40.00 Set a post for cor to 74 sec from which a W Oak
12 in dia beams S 39 E 11 timber ash; & a W Oak
6 in ~ ~ N 10 E 13 in ~
72.14 To a Sugar 8 in dia stands for cor to sec.
12 & 13 on the River Sands & same

T N^o 4 N R N^o 177. Dnd Mer. Ind^a

North Between Sect. 34 & 35 T N^o 4 N R N^o 177
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a
 Logwood 6 in dia bears S 6 E. 24 like dist
 W Oak 8 " " " S 26 E 33 " "
 80.00 Set a post for cor to Sect. 26 & 27, 34 & 35
 from which a W Oak 40 in dia bears S 84 W
 30 like dist; & a Hickory 20 " " " N 44 E
 19 " " Lands Wily timber Oak &
 Hickory very bushy

East Between Sect. 26 & 35 On Random line
 40.00 Set a temp^y post for cor to $\frac{1}{4}$ sec
 80.00 Intersected N & S line at the post set for
 to Sect. 25, 26, 35 & 36 T N^o 4 N R. N^o 177

West On true line between Sect. 26 & 35.
 40.00 Set temp^y post at aver. dist for cor to $\frac{1}{4}$ sec
 on true line from which a Hickory 26 in dia
 bears N 22 E. 8 like dist; & W Oak 20 " "
 " Sy 2 W. 26 " "
 80.00 Set a post for cor to Sect. 26, 27, 34 & 35

North Between Sect. 26 & 27 T N^o 4 N R N^o 177
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a
 W Oak 18 in dia bears East 59 like dist;
 80.00 Set a post for cor to Sect. 22, 23, 26, & 27
 from which a Logwood 8 in dia bears
 N 85 E. 15 like dist; & a W Oak 10 in dia
 bears N 82 W 29 like dist; Lands Rolling
 Timber Oak & Hickory

East On a Random line between Sect. 23 & 26.
 40.00 Set a temp^y post for cor to $\frac{1}{4}$ sec
 80.00 Intersected N & S line 12 like South of
 post set for cor to Sect. 23, 24, 25, & 26. T
 N^o 4 N R. N^o 177.

Tⁿo 4 N.R. N^o 17ⁿ. 2nd Mer. Ind.ⁿ

Resum

- West On true line between Sec^s 23. & 26 Tⁿo 4 N.R. N^o 17ⁿ
- 40.00 Set the temporary post at the aver. dist. on true line for cor to $\frac{1}{4}$ sec from which a Gum 8 in dia bears S44 E 11 links dist; and a DO 8 " " S46 W 15 " "
- 80.00 To the post set for the cor to Sec^s 22, 23, 26 & 27

- North Between Sec^s 22, & 23 Tⁿo 4 N.R. N^o 17ⁿ
- 40.00 To a W Oak 18 in dia stands in the line.
- 40.00 Set a post for the cor to $\frac{1}{4}$ sec from which a W Oak 18 in dia bears S86 W 33 links dist; & a Dogwood 7 " " N77 E. 36 " "
- 80.00 Set a post for cor to Sec^s 14, 15, 22, & 23. Tⁿo 4 N.R. N^o 17ⁿ from which a Poplar 20 in dia bears S45 E 8 links dist; and a Hickory 18 " " S27 W 31 " " Lands &c the same as the last mile

- East On a Random line between Sec^s 14 & 23 Tⁿo 4 N.R. N^o 17ⁿ
- 40.00 Set a temporary post for cor to $\frac{1}{4}$ sec
- 80.20 Intersected N & S line 17 links East of the post set for cor to Sec^s 13, 14, 23. & 24 Tⁿo 4 N.R. N^o 17ⁿ Lands timber &c same as the last mile.

- West On true line between Sec^s 14 & 23 Tⁿo 4 N.R. N^o 17ⁿ
- 40.10 Set the temporary post at the aver. dist on true line for cor to $\frac{1}{4}$ sec from which a Gum 10 in dia bears N10 W 15 links dist; & a W Oak 12 " " N37 E. 18 " "
- 80.20 To the post set for the corner to Sec^s 14, 15, 22. & 23

- North Between Sec^s 14 & 15 Tⁿo 4 N.R. N^o 17ⁿ
- 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Gum 11 in dia bears S31 E. 9 links dist; and an Oak 12 " " N69 W 16 " "
- 80.00 Set a post for the cor. to Sec^s 10, 11, 14, & 15 Tⁿo 4 N.R. N^o 17ⁿ from which a Poplar 12 in dia bears

T^N 4 N^R N^o 17ⁿ 2nd Mer. Ind^a.

beams West 21 links dist; under Poplar 24
in dia beam N56 E 25 links dist;
Lands timber and soil the same as the last mile

East Between Sect 11 & 14 On Random line T^N 4 N^R N^o 17ⁿ 2nd Mer.

3.75 To a Brook 10 links wide; across North
40.00 Set a temp^y post for the cor to 1/4 sec
80.50 Intersected the N & S line 18 links North of the
post set for the cor. to Sect. 11, 12, 13 & 14 T^N 4 N^R
N^o 17ⁿ Lands timber and soil same as the last mile

West On true line between Sect. 11 & 14 T^N 4 N^R N^o 17ⁿ

40.00 Set temp^y post at the aver dist for cor to 1/4 sec
on true line from which a Dogwood 8 in dia
beams S20 W. 3 links dist; to Walnut 10 n
" N20 E 3 n

80.00 To the post set for the cor to Sect 14, 15, 22, & 23
T^N 4 N^R N^o 17ⁿ.

North Between Sect. 10 & 11 T^N 4 N^R N^o 17ⁿ.

9.00 To a Brook 10 links wide; across N.W.

21.75 To n n 5 n n n West.

40.00 Set a post for cor to 1/4 sec from which a
Red Bud 7 in dia beams S6 E 36 links dist; to
N Walnut 10 n n N73 W 20 n n

80.00 Set a post for the cor to Sect. 2, 3, 10, 11 T^N 4
N^R N^o 17ⁿ from which a Buck 9 in dia
beams N84 E. 43 links dist; to Ls 20 n n
" S84 W 36 n n Lands Rolling; Timber
Oak, Walnut, and Poplar.

East Between Sect 2 & 11 T^N 4 N^R N^o 17ⁿ On Random

27.50 To a Brook 10 links wide; across N.

40.00 Set a temp^y post for the cor to 1/4 sec } Erroneous

73.72 Set a post for the cor to Sect. 2 & 11.

T^N 4 N^R N^o 1^W. 2nd Mer. (Indiana)East Betwan Sec. 2 & 11 T^N 4 N^R N^o 1^W.

27.50 To a Brook 10 links wide; Census N

40.00 Set a post for the cor to Sec. 2 & 11 from which a
Hogwade 6 mi dia bears N 38 E. 20 links dist; & a
Sugar 10 " " " S 29 E. 11 " "73.70 Set a post for the cor to Sec. 2 & 11 on the "Bank
of W. River from which a Sugar 10 mi dia bears S 29
E 9 links dist; & a W. Oak 11 " " " N 28
W 10 " " " Sand timber & soil the same as the last
mileNorth Betwan Sec. 2, 13. T^N 4 N^R N^o 1^W.

16.45 To a Buck 10 mi dia stands on the line

40.00 Set a post for the cor to Sec. 14 from which a
Maple 9 mi dia bears S 82 W. 21 links dist; & a
Elm 7 " " " N 18 W 4 " "47.00 Set a post for the cor to Sec. 2 & 13 T^N 4 N^R
N^o 1^W. on the "Bank of W. River from which a
Buck 10 mi dia bears S 85 E. 7 links dist; & a
Hc 20 " " " S 21 W 38 " "
Sand, mix sand rolling; Timber Poplar, Ash, &
Sugar.North Betwan Sec. 33 & 34 T^N 4 N^R N^o 1^W40.00 Set a post for the cor to Sec. 14 from which a
Hogwade 6 mi dia bears N 10 E. 44 links dist; & a
Poplar 8 " " " N 67 E. 34 " "80.00 Set a post for the cor to Sec. 27, 28, 33, & 34 T^N
4 N^R N^o 1^W. from which a W Oak 15 mi dia bears
S 26 E. 25 links dist; & a Hickory 10 " " "
N 41 W 15 " " " Sand & clay mud brushy
Timber Oak, & HickoryEast Betwan Sec. 27 & 34 T^N 4 N^R N^o 1^W On Road

40.00 Set temporary post for cor to Sec. 14

80.05 Intersected N^o 5 line at the post set for the cor

T. N^o 4 N.R. N^o 177. 2nd Mer. (Ind.)

to Sec. 26, 27, 34 & 35 T. N^o 4 N.R. N^o 177.

Sands, soil, timber underneath to same as last mile

West On true line between Sec. 27 & 34 T. N^o 4 N.R. N^o 177. 2nd Mer

40.02 Get the temporary post at the avr. dist; on true line for cor to $\frac{1}{4}$ sec from which a Buck 12 in dia bears N 10 W. 12 links dist; and a Buck 15 " " " S 86 E. 20 " "

80.05 To the post set for the cor to Sec. 27, 28, 33 & 34

North Between Sec. 27 & 28 T. N^o 4 N.R. N^o 177

40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Buck 12 in dia bears N 77 W. 25 links dist; and an Elm 10 " " " N 26 E. 17 " "

56.95 To a Buck 10 in dia staked in the line.

80.00 Set a post for the cor to Sec. 27, 28, 33 & 34 from which a Dogwood 6 in dia bears N 48 E 2 links dist; & a Gum 7 " " " S 36 W. 16 " " Sands timber to same as the last mile

East On Random line between Sec. 22, & 27 T. N^o 4 N.R. N^o 177.

40.00 Set a temporary post for cor to $\frac{1}{4}$ sec

80.10 Intersection N & S line 8 links North of Cor to Sec. 22, 26, 23, & 27. Sands timber soil underneath as yet same as the last mile.

West On a true line between Sec. 22, & 27 T. N^o 4 N.R. N^o 177.

40.05 Set the temporary post at avr. dist on true line for cor to $\frac{1}{4}$ sec from which a Buck 18 in dia bears S 9 E 9 links dist; and a Elm 12 " " " S 87 E 43 " "

80.10 To the post set for the cor to Sec. 22, 23, 28, & 27

North Between Sec. 21 & 22 T. N^o 4 N.R. N^o 177

40.00 Set a post for the cor to the $\frac{1}{4}$ sec from which a Dog

T. N. 4 N. R. No 17. 2nd Mer. Ind. a

woods 6 in dia bears S 21 E 36 feet and a
 Poplar 9 in " " S 16 W 34 in "
 80.00 Set a post for the cor to Sec 15, 16, 21, & 22 from which
 a Buck 12 in dia bears N 8 E 11 links dist; and a Co
 24 in " " S 54 E 26 in "
 Sand timber soil & c same as the last mile

East On a Random line between Sec 15 & 22. T. N. 4 St.
 N. N. 17

40.00 Set a temporary post for the cor to 1/4 sec
 80.00 Intersected the N & S line 12 links S. of the post set for
 the Cor. to Sec. 14, 15, 22, & 23 Sand timber soil &
 same as the last mile.

West On the true line between Sec. 15 & 22 T. N. 4 N. R. 17

40.00 Set temporary post at the corner dist; on the true line for cor
 to 1/4 sec from which a Buck 12 in dia bears N 18 W.
 20 links dist; and a Gallspruce 6 in " " N 62 E
 17 in " "

80.00 To the post set for the cor to Sec 15, 16, 21, & 22,

North Between Sec. 15 & 16 T. N. 4 N. R. No 17.

40.00 Set a post for the cor to 1/4 sec from which a W. Oak
 10 in dia bears N 16 E. 11 links dist; and a Hogshead
 7 in " " S 15 E 19 in " "

53.00 To a W. Oak 17 in dia stands in the line

80.00 Set a post for the cor to Sec. 9, 10, 15, & 16 T. N.
 4 N. R. No 17. from which a W. Oak 12 in dia bears
 N 84 W. 28 links dist; and a W. Oak 18 in " "
 N 38 E 27 in " " Sand timber soil & undergrowth
 the same as the last mile

East Between Sec. 15 & 10 On a Random line T. N. 4 N. R. No 17

40.00 Set a temporary post for cor to 1/4 sec

80.00 Intersected the N & S line 12 links South of the post
 set for the Cor. to Sec. 10, 11, 14, 15. Sand timber soil

T. N. 4 N. R. N. 177 2nd & 3rd Mer
to the same as the last mile;

West On true line between Sec. 15 & 10 T. 4 N. R. N. 177
40.00 Set the temporary post at the avor. dist; on true line for
the cor to the 74 sec from which a T. Walnut 10 in
dia bears S 73° W 38 links dist; under Hilly 8 -
S 72° E 17 - -
80.00 To the post set for the cor to Sec. 15, 16. 9. 10.

North Between Sec. 9. & 10 T. N. 4 N. R. N. 177.
40.00 Set a temporary post for the cor to 74 sec from which
a T. Oak 20 in dia bears N 12° W. 21 links dist; & a
Log made 6 - - - S 77° E. 6 - -
80.00 Set a post for the cor to Sec. 3, 4, 9. & 10 T. N. 4 N.
R. N. 177 from which a Buck 10 in dia bears S 65° E
26 links dist; under a Poplar 10 - - - N 19° E.
24 - - - Under Hilly timber Oak, under Hilly

East Between Sec. 3 & 10 On a Random line T. 4 N. R. N. 177
40.00 Set a temporary post for cor to 74 sec
60.00 To a Birch 10 links dist; corner St.
80.00 Intersected the St. S line South of sec cor. to Sec
2, 3, 10, 11

West On true line between Sec. 3 & 10 T. N. 4 N. R. N. 177
40.00 Set the temporary post at the avor. dist; on true line for the
cor to 74 sec from which a T. Oak 20 in dia bears
N 42° E. 9 links dist; under Gum 9 - - -
S 57° W 22 - -
80.00 To the post set for the cor of Sec. 3, 4, 9 & 10

North Between Sec. 3 & 4 T. N. 4 N. R. N. 177
40.00 Set a post for the cor to 74 sec from which a T. Oak
20 in dia bears South 100 links dist
70.00 To a T. Oak 20 in dia stands on the line
79.00 Intersected North Boundary of Town N. 4 N. R. N.

T^N. 4 N^R N^o 177. 2nd sec Mer Ind.

22 links West of the post set for the cor to sec. 314
from which a Mulberry 10 in dia bears S86W 20 links
distance to Log nose 6 in dia - N32E 14 in
Land soil and timber the same as the last mile

North Peteran Sec. 32 & 33 T^N. 4 N^R N^o 177

40.00 Set a post for the cor to 1/4 sec from which a Gum 10
in dia bears S43W 10 links dist; and a W Oak 18
in dia - S81E 25 in dia

80.00 Set a post for the cor of sec. 28, 29, 32, & 33.
from which a Hickory 20 in dia bears N55E 3 links
dist; and a ~~W~~ 20 in dia - S55W 15 in
Land very brushy and covered with Granitic
Timber Oak, &c

East On a Random line Peteran Sec 28 & 33 T^N. 4 N^R N^o 177

40.00 Set a temporary post for cor to 1/4 sec

80.00 Intersection N & S line 8 links South of the post set
for the cor. for sec. 27, 28, 33, & 34.
Land timber soil and so forth the same as the last mile

West On true line between Sec. 28 & 33 T^N. 4 N^R N^o 177

40.00 Set the temporary post at the avor. with on true line for
cor to 1/4 sec from which a Log nose 6 in dia bears
S82W 38 links dist; and a ~~W~~ 6 in dia -
S58E 12 in dia

80.00 To the post set for the cor to sec. 28, 29, 32, & 33

North Peteran Sec. 28 & 29 T^N. 4 N^R N^o 177

29.80 To a W Oak 12 in dia 1/2 mile in the line

40.00 Set a post for cor to 1/4 sec from which a Log nose 7
in dia bears S33E 12 links dist; and a W Oak 12
in dia - S76W 14 in dia

80.00 Set a post for cor to sec. 20, 21, 28, & 29 T^N. 4 N^R
N^o 177 from which a W Walnut 7 in dia bears
S78E 29 links dist; and a Sugar 7 in dia

T.N. 4 N. R. No. 177. 2nd Mar

bears N 24 E. 10 links dist; Sande timber Soil
undergrowth &c same as the last mile.

East On a Random line between Sec. 21 & 28 T.N. 4 N. R. No. 177.
40.00 Set a temporary post for cor to 1/4 sec
80.19 Intersected the N & S line 12 links North of the post
Set for the cor to Sec. 21, 22, 27, & 28. T.N. 4 N. R.
No. 177 Sande timber soil &c same as the last mile

West Between Sec. 21 & 28 On true line T.N. 4 N. R. No. 177.
40.09p Set the temporary post at the av. dist; on true line for cor
to 1/4 sec from which a Sugar 10 in dia bears N 34 E 18
links dist; and a Walnut 7 1/2 " " " 563 7/7
" " "
80.19 To the post set for the cor to Sec. 20, 21, 27, & 28

North Between Sec. 20 & 21 T.N. 4 N. R. No. 177.
40.00 Set the post for cor to 1/4 sec from which a
Y. Oak 12 in dia bears N 22 E 12 links dist; & a
Dogwood 6 " " " N 42 W 28 " "
80.00 Set a post for the cor to Sec. 16, 17, 20, & 21. T.N.
4 N. R. No. 177. From which a Y. Walnut 10 in
dia bears N 38 W 29 links dist; & a Y. Oak 18 " "
" " " S 32 E 19 " "
Sande timber soil &c same as the last mile

East On a Random line between Sec. 16 & 21 T.N. 4 N. R. No. 177.
40.00 Set a temporary post for cor to 1/4 sec
80.15 Intersected the N & S line 20 links South of the last
post set for the cor. 15, 16, 21, & 22. T.N. 4 N. R. No.
177. Sande timber and soil &c same as the last
mile

West Between Sec. 16 & 21 On true line T.N. 4 N. R. No.
177.
40.07p Set the temporary post at the av. dist; on true line

T No 4 N.R. No. 177. Grade Run.

for the cor to 1/4 sec from which a Logwood 7 m
in dia bears S 87 W 32 links dist; & a 20 7 m
" " N 3 E 19 " "

North Between Sep 16, 177 T No 4 N.R. No 177

35.47 To a W Oak 20 m dia stands in the line

40.00 Set a post for the cor to 1/4 sec from which a Log wood
7 m dia bears N 89 E 16 links dist; & a 20
7 m " " N 55 W 24 " "

80.00 Set a post for the cor to Sep. 8, 9, 16, & 17 T No.
4 N.R. No. 177 from which a W Oak 18 m dia bears
N 68 E. 24 links dist; under a Gum 10 m " "
N 59 W 38 " "

East Between Sep 16 & 9 Oak random line T No 4 N.R. 177

140.00 Set a temporary post for the cor to 1/4 sec

149.90 Intersection the N 15 S line 12 links N. of the cor.
Cor for to 9, 10, 15 & 16 Land sort & c same as
the last mile

West On true line between Sep 9 & 16 T No 4 N.R. No 177

39.95 Set the temporary post at the aver. dist. on true line for cor
to 1/4 sec from which a Poplar 12 m dia bears N 70
W 12 links dist; under Beech 7 " " " N 46
W 15 " "

149.90 To the post set for the cor to Sep 8, 9, 16 & 17

North Between Sep 8 & 9 T No 4 N.R. No. 177.

19.20 To a Poplar 30 m dia stands in the line.

40.00 Set a post for the cor to 1/4 sec from which a W Oak
20 m dia bears S 63 W 17 links dist; under a Log wood
7 m " " S 42 E. 10 " "

80.00 Set a post for the cor to Sep 4, 5, 8, & 9 T No 4 N.
R. No 177. from which a Sugar 10 m dia bears
N 45 E 17 links dist; under Beech 18 m " "
N 45 W 14 " " Land & timber same as the

T. N. 4. N. R. N. 17. 2nd Mer India^P

East mile

-
- East On a Random line between Sec. 4 & 9 T. N. 4. N. R. N. 17. 2nd Mer.
- 40.00 Set a triping post for the cor to 1/4 sec
- 80.00 Intersect the N. P. S. line 8 links South of the post set for the cor to Sec. 3, 4, 9, & 10 T. N. 4. N. R. N. 17. 2nd Mer. Lands timber &c same as the last mile;
-

- West Between Sec. 4 & 9 On the true line T. N. 4. N. R. N. 17.
- 40.00 Set the triping post at the corner dish; on the true line for the cor to 1/4 sec from which a Logwood 6 mi dist bears N 89 E. 34 links dish; and a Persimmon 5 " " " 96 E 14 " "
- 80.00 To the post set for the cor to Sec. 4, 5, 8, & 9.
-

- North Between Sec. 4 & 5. T. N. 4. N. R. N. 17.
- 34.40 To a W. Oak 12 mi dist stands on the line
- 40.00 Set the post for cor to 1/4 sec from which a W. Oak 21 mi dist bears N 45 E. 18 links dish; & a L O 10 " " " 423 N 30 " "
- 60.80 To a W. Oak 30 mi dist bears on the line
- 78.90 Intersect the North Boundary 13 links west of the post set for the cor to Sec. 4 & 5 T. N. 4. N. R. N. 17. from which a Peach 10 mi dist bears S 59 E. 25 links dish; and a L O 20 " " " 446 N 31 " "
-

- West Between Sec. 5 & 8 T. N. 4. N. R. N. 17.
- 40.00 Set the post for the cor to the 1/4 sec from which an Ironwood, 6 mi dist bears S 73 E. 15 links dish; & a Sugar 20 " " " 435 N 18 " "
- 45.18 To a Black Oak 12 mi dist stands for the cor to Sec. 5 & 8. On White River T. N. 4. N. R. N. 17. Lands the same as the last mile

T. N^o 4 N.R. N^o 177 2nd Mer. Jan^{ry}

North Between Sep. 31 & 32 T. N^o 4 N.R. N^o 177
40.00 Set a post for the cor to the 1/4 sec from which a
Mulberry 12 in dia bears N 28 E 16 miles dist; & a
Sugar 10 " " " S 89 E 23 " "
80.00 Set a post for the cor to Sep. 29, 30, 31 & 32 from
which a T. Oak 20 in dia bears N 78 W 18 miles dist;
under a W Oak 8 " " " S 52 E. 10 " "
Lands rolling under brushy; Timber Oak, Hickory

East Between Sep. 29 & 32 T. N^o 4 N.R. N^o 177 2nd Mer
On a Random line:
40.00 Set a temp. post for the 1/4 sec post.
80.00 Intersected N. & S. line 12 miles South of the post set
for the cor to Sep. 29, 30, 31 & 32 Lands timber & c
Grove as the last mile.

West On true line between Sep. 29 & 32 T. N^o 4 N.R. N^o 177
40.00 Set the temp. 1/4 sec post at the corr. dist; on true line
for the cor to 1/4 sec from which a Hickory 6 in dia
bears N 43 E. 5 miles dist;
80.00 To the post set for the cor to Sep. 29, 30, 31 & 32.

North Between Sep. 29 & 30 T. N^o 4 N.R. N^o 177.
40.00 Set a post for the cor to 1/4 sec from which a W Oak
20 in dia bears N 20 E 10 miles dist; under a Do
12 " " " East 15 " "
80.00 Set a post for the cor to Sep. 19, 20, 29 & 30 T. N^o
4 N.R. N^o 177. from which a Gum 10 in dia bears
N 45 E. 18 miles dist; under a W Oak 10 " " "
S 45 W. 7 " " Lands heavily timbered Oak, Hickory
underbrush, Dogwood & Hickory

East On a Random line between Sep. 20 & 29 T. N^o 4 N.R.
N 77 W 2nd Mer
40.00 Set a temp. post for the cor to 1/4 sec
80.14 Intersected the N & S line 8 miles South of the cor to sec

T. N^o 4 N.R. N^o 1 W. 2nd Mer. Indiana

20, 21, 28, & 29 T. N^o 4 N.R. N^o 1 W.
 Same soil timber &c same as the last miles.

West Between Sec. 20 & 29 On true line T. N^o 4 N.R. N^o 1 W.

40.07 Set the temp. post at the arr. dish; on true line for
 the cor to '4 sec from which a Buck 12 in dia bears
 N 87 W 11 links dish; under a Do 12 n n n
 N 18 E 25 n n

80.14 To the post set for the cor to Sec. 19, 20, 29, & 30

North Between Sec. 19, & 20 T. N^o 4 N.R. N^o 1 W.

40.00 Set the post for the cor to '4 sec from which a
 Buck 20 in dia bears N 58 E 19 links dish; & a
 Logwoods 6 n n n S 84 W 7 n n

80.00 Set a post for the cor to Sec. 17, 18, 19, & 20. from
 which a Logwoods 6 in dia bears S 80 W 5 links
 dish; under Grm 10 n n n S 24 E 3 n
 n Same Rich and Rolling

East On a Random line between Sec. 17, & 20 T. N^o 4 N.
 R. N^o 1 W.

40.00 Set a temp. post for cor to '4 sec

80.10 Intersected the N 5 line 8 links ^N of sec cor Same
 the same

West Between Sec. 17, & 20 On true line T. N^o 4 N.R. N^o 1 W.

40.05 Set the temp. post at the arr. dish; on a true line
 for the cor to the '4 sec from which a Poplar 8 in dia
 bears S 64 W 26 links dish; under a Logwoods 6 n n
 n N 74 E 47 n n

80.11 Set the post set for the cor to Sec. 18, 17, 19, & 20

North Between Sec. 17, & 18 T. N^o 4 N.R. N^o 1 W.

40.00 Set the post for the cor to the '4 sec from which a
 Buck 30 in dia bears N 5 E 19 links dish &
 Do 18 n n n N 75 E 33 n n

T N^o 4 N R N^o 1 W 2nd Mr. Indav

80.00 Set a post for the cor to sec 7, 8, 17 & 18 T N^o 4 N R N^o 1 W from which a Tree 10 in dia bears N 71 E. 23 links dist; and a Poplar 10 n n - S 11 W. 14 n - Lands Rich and Rolling Timber Tree, Poplar, &c many Sunk Holes

East Between Sec. 8, & 17 on a Meridian line T N^o 4 N R N^o 1 W.
40.00 Set a temporary post for cor to 1/4 sec
80.00 Intersected N & S. line 10 links North of the cor to sec 8, 9, 16, & 17. Lands and so forth same as the last mile;

West Between Sec. 8, & 17 on true line T N^o 4 N R N^o 1 W
40.00 Set the temporary post at the same dist; on true line for cor to 1/4 sec from which a Tree 8 in dia bears N 73 E 23 links dist; and a Do 12 n n - N 47 W 26 n n -
80.00 To the post set for the cor to sec 8, 9, 16 & 17.

North Between Sec. 7 & 8 T N^o 4 N R N^o 1 W
40.00 Set a post for the cor to sec 7 from which a Tree 12 in dia bears N 59 E. 11 links dist; and a Do 12 n n - S 25 E. 34 n n -
60.50 Set a post for the cor to sec 7 & 8 T N^o 4 N R N^o 1 W on the Banks of White River from which an Ironwood 7 in dia bears S 21 E. 27 links dist; & a Do 8 n n - S 42 W 24 n n - Lands &c same as the last mile

West Between Sec. 30 & 31 T N^o 4 N R N^o 1 W
40.00 Set a post for cor to 1/4 sec from which a Tree 10 in dia bears N 77 E 25 links dist; & a Do 10 n n - S 76 W 34 n n -
Set a post on the West Boundary 20 links N. of the cor to sec 30 & 31 T N^o 4 N R N^o 1 W from which a White Oak 24 in dia bears N 58 W 4 links dist; & a

T. N^o 4 N. R. N^o 17. 2nd Mer. Quar

W Oak 12 in dia bears S 11 E. 4 links dist;
 Sando Rolling; Timber Oak, Hickory and Buck

West Between Sec 19. & 30 T. N^o 4 N. R. N^o 17.
 40.00 Set a post for the cor to the 1/4 sec from which a
 W Oak 12 in dia bears N 83 W 12 links dist; &
 Buck 10 " " " S 43 W. 28 " "
 84.67 Set a post on the W. 1/2 boundary 98 links N. of
 the cor to Sec 19. & 30 from which a
 Buck 12 in dia bears S 30 E. 24 links dist; & a
 Logwood 6 " " " S 69 W 21 " "
 Sando Rolling; Timber Buck, Poplar & Hickory

West Between Sec. 18 & 19 T. N^o 4 N. R. N^o 17.
 37.40 To a Sugar 12 in dia stands in the line
 40.00 Set a post for the cor to the 1/4 sec from which
 a Buck 10 in dia bears S 84 W 8 links dist;
 & a Gum 18 " " " S 22 E. 28 " "
 84.00 Set a post on the West 1/2 boundary 100 links N.
 of cor to Sec. 18 & 19 T. N^o 4 N. R. N^o 17 from
 which a Buck 12 in dia bears S 23 E. 24 links
 dist; & a Sugar 12 " " " N 10 E. 50 "
 " Sando rich and Rolling

West Between Sec. 7. & 18 T. N^o 4 N. R. N^o 17.
 40.00 Set a post for the cor to the 1/4 sec from which a
 W Oak 24 in dia bears South 7 links dist; & a
 do 8 " " " N 4 W 16 " "
 84.12 Set a post on the West boundary 110 links N.
 of the cor to Sec. 7. & 18 T. N^o 4 N. R. N^o 17
 from which a Buck 10 in dia bears S 17 W. 9
 links dist; & a Sugar 9 " " " S 10 E. 14 "
 " " Sando to Rich; Timber Oak, Pop-
 lar and Hickory undergrowth Spruce.

East Between Sec 6. & 7 T. N^o 4 N. R. N^o 17.

T. N^o 4 N.R. N^o 174 2nd Mex. Ind.^a

- 20.90 To a Black 20 in dia Stands on the line
 35.00 Set a post on the Bank of White River for cor to
 Sec. 6 & 7 T. N^o 4 N.R. N^o 174. From which a
 Buck 14 in dia bears N 88 W. 10 linked dist; to
 Sugar 20 " " " S 18 E. 29 " "
 Lands rolling; Timber Sugar & Buck
 undergrowth Spruce.

- South Between Sec. 1 & 2 T. N^o 4 N.R. N^o 174
 35.00 To a Buck 10 linked mile; across West
 40.00 Set a post for the cor to 14 Sec from which a
 Hackberry 20 in dia bears N 30 E. 9 linked dist
 to an Elm 15 " " " S 38 W. 21 " "
 70.50 To a Buck 20 in dia Stands on the line
 75.00 To a Buck 10 in dia Stands for cor to Sec. 1 & 2
 on White River Lands rich and level; Timber
 Sugar, Ash, Buck, Hickory & c.

- South Between Sec. 5 & 6 T. N^o 4 N.R. N^o 174
 4.50 To a Spring that runs
 40.00 Set a post for the cor to 14 Sec from which a
 Buck 10 in dia bears N 46 W. 4 linked dist; to a
 do " " " " N 60 E. 27 " "
 75.00 To a pond.
 80.00 In the ponds land very rich; Rolling; Timber
 Mulberry, Poplar, & Sugar & c.

- West On true line between Sec. 6 & 7 T. N^o 4 N.R. N^o 174
 35.00 To the West side of the pond; covered with brush
 40.00 Set a post for cor to 14 Sec
 40.80 To a Black 20 in dia Stands on the Bank of
 White River

- South Between Sec. 7 & 8 T. N^o 4 N.R. N^o 174
 8.50 South side of the brushy ponds.
 1232 Set a post on the Bank of White River for the

T. N^o 4. MR. N^o 17. 2nd Mer. Ind^o

cor to lat. 7 & 8. T. N^o 4. MR. N^o 17. from
which a Buck 6 in dia bears N. 21 W. 9 like
dist; to Log mode 6 u - - S 30 E. 6 u

East Between Lat. 5 & 8. T. N^o 4. MR. N^o 17.

20.00 To the East side of the Pond

26.85 Set a post on the bank of White River for the
cor to lat. 5 & 8. from which a
Buckey 12 in dia bears S E 11 links dist;
to M Oak 10 u - - N 1 W 11 u - -

South Between Lat. 2. & 3. T. N^o 4. MR. N^o 17.

22.50 Set a post on the Bank of White River

T. N. 4 N. R. N. 17 W 2nd Mer. Ind.

Meanders of White River in T. N. 4 N. R. N. 17 W
Commenced on the Range line (left bank of R)
between R. S. W. 2, 78 at the S. corner for cor to Sec.
106. thence up the River

S30 E. 23.50 To the
 S36 E 19.00
 S24 E. 20.00 To the post on line between Sec 6 & 7
 S36 E 27.00
 S69 E 17.20
 N89 E 11.20 To the post on the line between Sec. 7 & 8
 N89 E. 12.00
 N58 E 14.00
 S44 E 17.00 To the post on the line between Sec. 8 & 9
 N24 E 22.30
 N14 E. 48.30
 N10 W 13.50 To the post on the N. Boundary between Sec. 5 &
 32 T. S. 40 S. N. R. 17 W.

Meanders of the left Bank Continued from
the cor on the N. Boundary of T. N. 4 N. R. N. 17 W
between Sec 3 & 34

S34 E. 36.00 To a brook 2500 ft. wide:
 S67 E. 16.00
 N78 E 18.50 To the cor to Sec. 213.
 S81 E 14.50
 S23 E 51.00
 S35 E 16.50 To the post on the line between Sec 11 & 12
 T. N. 4 N. R. N. 17 W

S56 E 27.50
 S75 E 33.50
 N47 E 17.00
 N23 E 22.00
 N45 E 5.20 To the cor on the Range line above R.
 1 E & 17 W. & Sec 106.

Meanders of White River in T. N. 4 N. R. N. 17 W
Right Bank up stream

T. N^o 4. N. R. N^o 14. 2nd Mer. Ind^a.

Commenced at the post on the line between Sec.
156. and R^s 1.00 West

G 49 E. 3.00

G 31 E. 12.50

G 28 E. 11.50

G 31 E. 6.00

G 35 E. 18.50

G 28 E. 16.00

G 21 E. 8.00

G 39 E. 4.50

G 32 E. 7.50 To the post on the line between Sec. 6 & 7.

G 61 E. 16.00

G 73 E. 8.00

G 82 E. 16.00

East 4.05 Commenced to Sec. 7 & 8 T. N^o 4. N. R. N^o 14.

N 83 E. 13.00

N 61 E. 9.50

N 54 E. 8.67 To the post on the line between Sec. 5 & 8.

N 37 E. 10.00

N 21 E. 10.50

N 11 E. 13.00

N 18 E. 17.00

N 16 E. 6.00

N 11 E. 19.50

N 11 W. 8.32 To the post on the North Boundary of T. N^o 4.
R. N^o 17. between Sec. 5 & 32

From the post on the Town line between Towns
4 & 5 N. R. N^o 17. between Sec. 3 & 34

G 26 E. 8.00

G 32 E. 15.50

G 48 E. 9.50

G 76 E. 6.50

N 79 E. 9.00

N 70 E. 7.00

N 79 E. 3.60 To the post on the line between 2 & 3.

N 72 E. 7.50

T. N. 4 N R. 1 W. 2nd Mer Ind.

N80 E. 6.50

N77 E. 11.00

N83 E. 10.50

S89 E. 4.00

S80 E. 6.00

S72 E. 9.50

S47 E. 6.00

S29 E. 6.00

S22 E. 14.50 To at Burro 25 Mts. mid

S22 E. 14.30

S29 E. 18.90 To the post on the line between Sec 1 & 2

S40 E. 10.00

S51 E. 14.50

S60 E. 10.00

S70 E. 12.50

S76 E. 14.50

N53 E. 7.50

N30 E. 9.00

N27 E. 10.00

N33 E. 14.00

N42 E. 8.70 To the post on the Range line between Sec. 1 & 6. T. 4 N R. 1 E & 1 W.

2nd Meridian LineNorth On the 2nd Mer between Towns 4 & 4 N R. 1 E & 1 W in the East line; of sec 36. T. N. 4 N R. 1 W

4000 Set a post for the cor to sec from which a 13. Oak 20 in dia bears S35 E. 25 links dish; & a槐 10 " " " N25 E. 8 " " "

8000 Set a post for the cor to sec. 25. & 36 T. N. 4 N R. 1 W 2nd Mer from which a槐 15 in dia bears S27 E. 24 links dish; & a No 6 " " " S28 W 12 " " " Over level Oak and槐 Land; Thin soil very bushy Variation 6° 30'

T. N^o 4 N.R. N^o 1st W. 2nd Mer. Ind^o

- North Continued the 2nd Mer. on the East boundary of
T. N^o 4 N.R. N^o 1st W. East side of sec 25
- 5.00 To a Brook 20 links wide; Course East.
- 20.20 " " 13 Walnut 20 in dia stands in the line.
- 30.00 To a Brook 10 links wide; Course East
- 40.00 Set a post for the cor to sec 24 from which a
Oak 10 in dia bears S 30 W. 7 links dist; & a
Sugar 12 " " N 7 E. 34 " "
- 44.25 To a Poplar 20 in dia stands in the line.
- 80.00 Set a post for the cor to Sec. 24 & 25

- North Continued the 2nd Mer. on the East Boundary
of T. N^o 4 N.R. N^o 1st W. East side of sec 25
- 110.00 Set a post for the cor to the 1/4 sec from which a
Hickory 10 in dia bears S 7 E. 22 links dist; & a
Do 11 " " " N 32 W. 33 " "
- 80.00 Set a post for the cor to Sec. 24 & 25. T. N^o 4
N.R. N^o 1st W. 2nd Mer. from which a
Hickory 8 in dia bears S 31 E. 34 links dist; & a
Poplar 8 " " " N 49 E. 19 " "
Sands and timber the same as the last mile.

- North Continued the 2nd Mer. on the East Boundary
of T. N^o 4 N.R. N^o 1st W. East side of sec 24
- 20.00 To a W Oak 15 in dia stands in the line.
- 40.00 Set a post for the cor to sec 24 from which a
Oak 10 in dia bears S 38 W. 35 links dist; & a
Do 10 " " " N 83 E. 35 " "
- 70.05 To a W Oak 12 in dia stands in the line.
- 80.00 Set a post for the cor of Sec. 13 & 24 T. N^o 4 N.
R. N^o 1st W. 2nd Mer. from which a W Oak
19 in diam. bears S 84 E. 8 links dist; & a Do
19 " " " N 23 W. 26 " "
Sands and timber mostly the same as the last
mile

T. N. 4 N. R. N. 1 W. 2nd Mer. (Ind. 2)

North Continued the 2nd Mer. on the East Boundary of
T. N. 4 N. R. N. 1 W. East side of Sec 13

5.00 To a Birch 20 links wide; hence East.

21.20 " " 78 Walnut 20 in dia stands on the line

30.00 To a Birch 20 links wide; hence East

40.00 Set a post for the cor to the pt. from which
an Elm 10 in dia bears S 30 W 7 the dist: & a

Sugar 12 " " " N 7 E. 34 " "

44.25 To a Poplar 20 in dia stands on the line

80.00 Set a post for the cor to Sec. 12 & 13 T. N. 4 N.
R. N. 1 W. 2nd Mer. from which a W. Oak 24
in dia bears S 17 E. 34 links dist; and Hick 12

" " " N 62 W. 14 " "

Land and timber &c same as the last mile

North Continued the 2nd Mer. on the East Boundary of
T. N. 4 N. R. N. 1 W. on E. side of Sec 12

40.00 Set a post for the cor to Sec 12 from which a
Sugar 10 in dia bears S 3 E. 17 the dist; & a

Do 10 " " " N 1 E. 27 " "

80.00 Set a post for the cor. to Sec. 1 & 12 T. N. 4 N.
R. N. 1 W. from which a Beech 20 in dia bears

S 52 W. 10 links dist; & a Do 20 " " "

N 21 W. 25 " " Over good lands; timber
Beech, Poplar, Oak & Hick

North Continued the 2nd Mer. on the East Boundary
of T. N. 4 N. R. N. 1 W. east side of Sec 1.

1.50 Set a post on the Left Bank of White River for
cor to Sec. 1. T. N. 4 N. R. N. 1 W. from which a
Beech 10 in dia bears S 54 E 10 links dist; & a
Sugar 10 " " " S 42 W. 12 " "

13.50 Set a post on the Right Bank of White River
for the cor to Sec 1. T. N. 4 N. R. N. 1 W. from which
a W. Oak 20 in dia bears S 53 W. 21 links dist;
& a Sugar 10 " " " N 32 W. 15 " "

T. N^o 4 N. R. N^o 17th 2nd Mer. Ind^a

- 40.00 Set a post for the cor to $\frac{1}{4}$ sec from which a
 Back 10 in air bears S 21 E. 16 the dist; & a
 Sec 10 n e n S 82 E 12 n n
- 80.00 Set a post for the cor to Towns N^o 4. & 4. &
 5 & 5 in Ranges 1 East & 1 West 2nd Mer.
 from which a Sugar 12 in air bears S 16 E. 31
 the dist; & a Sec 10 n e n S 61 W 18
- Land timber & so same as the last mile.

South Boundary Var. 6^h 30'

- East On a Random line between Towns 3 & 4. & on
 the S Boundary of Sec. 31. T. N^o 4 N. R. N^o 17th
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 n n n n n n to Sec. 31. & 32. T.
 N^o 4 N. R. N^o 17th. This mile over good farming
 land; mostly apple

- East On a Random line between Towns 3 & 4 N. R. N^o
 17th. & on the South side of Sec 32. T. N^o 4 N. R. N^o 17th.
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 Set a n n n n n n to Sec. 32. & 33. T. N^o
 4 N. R. N^o 17th. 2nd Mer. This mile over brushy
 land; timber Oak, & Hickory

- East On a Random line between Towns 3 & 4 N. R. N^o
 17th. on the South side of Sec 33. T. N^o 4 N. R. N^o 17th
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 n n n n n n Sec. 33 & 34. T. N^o
 4 N. R. N^o 17th 2nd Mer. Land the same
 as the last mile.

- East On a Random line between Towns 3 & 4 N. R.
 N^o 17th. on the South side of Sec 34. T. N^o 4 N.
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 n n n n n n Sec. 34 & 35. T.
 N^o 4 N. R. N^o 17th. Land timber & so same; mostly S. Wood

T. No 4. N. R. No 17. 2nd Mer. Ind.

West In true line between Towns 3 & 4 N. R. No 17.
2nd Mer. on the South Boundary of 34

40.00 Set the temporary post at the corner dist; on true line for cor
to 1/4 sec from which a W Oak 24 in dia bears
N 65 E. 35 the dist; under a W Oak 24 in
S 11 W. 14 in

80.00 Set the temporary post on true line for cor to Sec. 33 & 34
T. No 4 N. R. No 17 from which a Hick 12
in dia bears West 58. under dist; & to

West In true line between Towns 3 & 4 N. R. No 17.
2nd Mer. on South Boundary of Sec 33.

40.00 Set the temporary post on the true line from which a
W Oak 10 in dia bears N 60 E. 23 the dist; & to
Cora 9 in S 30 W. 31 in

80.00 Set the temporary post on the true line for the cor to Sec.
32 & 33 T. No 4 N. R. No 17. from which a Cora
10 in dia stands S 78 E 16 the dist; under a W Oak
24 in S 25 E. 18 in

West Continue line between Towns 3 & 4 N. R. No 17.
2nd Mer. on the South Boundary of Sec 32

40.00 Set the temporary post on the true line for the cor to 1/4
sec from which a Hick 16 in dia bears N 76 W 5
the dist; under a Cora 6 in S 70 E 12

80.00 Set the temporary post at the true line for the cor.
to 1/4 sec from which a Hick 12 in dia bears
S 32 W 9 the dist; & a Logwood 6 in
N 3 E. 12 in

West Continue line between Towns 3 & 4 N. R. No 17.
2nd Mer. on South Boundary of Sec. 31

40.00 Set the temporary post on the true line for the cor to 1/4 sec
from which a W. Oak 12 in dia bears S 38 W. 18 the
distance

137
123

T. No 4 NRP No 177 2nd Mer. Ind.^a

86.00 To the first set for the cor to Jones 3, 3. + 4.4
NRP No 177

North Boundary

West On Random line between Jones 445 in NRP No 177
2nd Mer on the North side of Sec 1

10.00 To a B. rock 1/2 miles into, leave South

40.00 Get the timber just for the cor to 1/4 sec

80.00 Get the timber just for the cor to 1/4 sec 1st 2 T. No
4 NRP No 177 2nd Mer. Same rolling timber
Buck, Ash, & Sugar

West On Random line between Jones 445 NRP 177
2nd Mer. on the North side of Sec 2.

40.00 Get the timber just for the cor to 1/4 sec.

55.50 To a Spring South

80.00 Get the timber just for the cor to sec. 2 & 3 T. No 4
NRP No 177 2nd Mer. Same timber, & same as
the last mile

West On Random line between Jones 445, NRP No 177.
2nd Mer. on the North side of Sec 3

40.00 Get a timber just for the cor to 1/4 sec

144.00 To White River

80.00 Get a timber just for the cor to sec. 3 & 4. T. No
4 NRP No 177. Same rolling timber (Oak, Hickory)
and some Poplar &c

West On true line between Jones 445 NRP No 177 2nd
Mer. on the North side of Sec 4.

40.00 Get a timber just for the cor to 1/4 sec

80.00 Get a - - - - - Sec. 4 & 5 T. No 4
NRP No 177 Same timber, soil &c same as the
last mile

West Continued On true line between Jones 544 NRP No 177

T. N. 4 N. R. No 177 2nd Mer Ind. a.

to S. T. N. 4 N. R. No 177. From which a 4th Buck 12
in air bears East 45 miles dist; and a 120 18
a u u N 57 W 22 u u

East On true line between Towns 4 & 5 N. R. No 177. 2nd
Mer on the North Boundary of Sec 4

40.00 Set the temporary post on the true line for cor to 74 res from
which a 4th Buck 8 in air bears N 40 E. 28 miles dist;
and a 120 18 u u u N 57 W 12 u u

80.00 Set the temporary post at the true line for the
cor to Sec. 3 & 4 T. N. 4 N. R. No 177 from which a
4th Buck 7 in air bears S 85 E. 25 miles dist; & a
120 of u u u N 55 W 13 u u

East On true line between Towns 4 & 5 N. R. No 177.
in the North side of Sec. 3.

27.00 Set a post on the left Bank of White River for the cor to
Sec 3 & 4 T. N. 4 N. R. No 177. From which an Elm
10 in air bears N 21 W 10 miles dist; & an Elm
6 u u u S 60 E. 10 u u

36.00 Set a post on the Right Bank of White River for the cor
to Sec. 3 & 4 T. N. 4 N. R. No 177 from which a
Poplar 6 in air bears N 80 W 15 miles dist; and a
4th Buck 10 u u u S 10 E. 16 u u

40.00 Set the temporary post on true line for the cor to 74 res from
which a 4th Buck 12 in air bears N 65 E. 10 miles dist; & a
120 6 u u u S 65 W 12 u u

80.00 Set the temporary post at the true line for the cor to Sec.
2 & 3. T. N. 4 N. R. No 177 from which a 4th Buck 6
in air bears N 68 E 17 miles dist; & a 4th Buck 10
u u u N 48 W 12 u u

East On true line between Towns 4 & 5 N. R. No 177 2nd
Mer on the North Boundary of Sec. 2

40.00 Set the temporary post on the true line for the cor to the 74
res from which a Poplar 10 in air bears S 52 E 19 1/2

Town N^o 4 N.R. N^o 17 2nd Mer.

linked ditch; under 1/2 Buck 12 m in line N. 10 E 14

80.00 Set the timber post on true line for the cor to Sec.
1 & 2 T.N. 4 N.R. N^o 17 from which a Town
10 m in line S 85 E. 21 linked ditch; & a 120
8 n n n S 76 W 16 n n

East On true line between Towns 4 & 5 N.R. N^o 17
2nd Mer on the N. Side of Sec 1.

40.00 Set the timber post on the true line for the cor to 1/4 Sec
from which on Iron wire 9 m in line N 71 E. 19 the
ditch; made a W. Oak 20 n n n S 44 W 26 n

80.00 Set the post for the cor to Towns 4 & 5 T.R. 17 N. 14 W
5 N. 1 E. 2nd Mer. And n

West Boundary

North Between Ranges 1 & 2 T. 2nd Mer. S. Side

40.00 Set the post for the cor to 1/4 Sec from which n —
post on thickets on a very high Hill

80.00 Set a post for the cor to Sec. 25 & 36. T.N. 4 N.R.
N^o 27 from which a 1/2 Buck 6 m in line N 65 W 7
linked ditch; made a W. Oak 10 n n n N 4 E 14
n n Very heavy brushy land; Timber Log
more Oak, Hickory

North Between Towns 4 & 5. N.R. N^o 17 W.

3.75 To a W. Oak 10 m in line stands on the line

40.00 Set the 1/4 Sec post for the cor to the 1/4 Sec from which
a W. Oak 30 m in line S 36 E. 20 linked ditch; under
1/2 Buck n n n N 18 W. 11 n n

80.00 Set the post for the cor to Sec. N^o 24 & 25 T.N. 4
N.R. N^o 27 from which a W. Oak 12 m in
line S 24 W. 35 linked ditch; & a Sugar 10 n n
n South 10 n n Over very good farming
land; Timber Sugar, Oak, Poplar

T. No 4 N.R. No 1 W 2nd Mer Ind.

under trust Spec;

North Between Ranges 1 & 2. & between Towns 4 & 4
6.90 To a Hickory 20 in dia stands in the line
40.00 Get a post for the cor to 1/4 sec from which a
Hickory 8 in dia bears S 35 W 27 linked dist; & a
Y Buck 12 in " " N 36 W 24 " "
80.00 Get a post for the cor to Sec. 13 & 24 T. No 4 N.R. No
3 W from which a Sugar 10 in dia bears S 61 W 25
linked dist; under Y Buck 10 in " " " N 51 W 15
" " Land & soil timber &c same

North Between Ranges 1 & 2 W. between Towns 4 & 4
40.00 Get a post for the cor to 1/4 sec from which a Y Buck 15
in dia bears S 18 E. 40 linked dist; under Gum 20
" " " S 41 W 15 " "
80.00 Get a post for the cor to Sec. N: 12 & 13 T. No 4 N.R.
N: 12 & 13 from which a Y Buck 10 in dia bears
N 86 W 26 linked dist; ran Elm 10 in " "
N 51 W 30 " " Land & soil & timber same

North Between Ranges 1 & 2 & between Towns 4 & 4
40.00 Get the post for the cor to the 1/4 sec from which a
W Walnut 10 in dia bears S 5 E. 27 linked dist; & a
do 10 in " " " S 64 W 15 " "
80.00 Get a post for the cor to Sec 1 & 13 T. No 4 N.R. No
1 W from which a Y Buck 6 in dia bears S 6 E 13
linked dist; under an Elm 20 in " " " S 10 W 19
" " Land & timber &c the same as the last mile

North Between Towns 4 & 4. & Ranges 1 & 2
40.00 Get the post for the cor to 1/4 sec from which a
Y Buck 6 in dia bears S 36 E. 5 the dist; & a
do 5 in " " " S 37 W 27 " "
63.50 To a Sycamore 23 in dia stands in the line.
72.95 To a Y Buck 10 in dia stands in the line & in the N.

T. N^o 4. N. N^o 19. 2nd Mar

Quadrant of W. Virgin cor to Sec. 1 & 12. T. N^o
4 & 4. N^o 1827.

80.00 Let a Grant for the cor to Towns 4 & 4. & 5 & 5
in Range 1 & 2 W. from which a 4 Buck 20
in dia has N 10 W. 37 links dist; to Co. C
" " " S 56 E 11 " "

I certify that the foregoing Transcript of the field
notes of Township N^o 4 North of Range N^o 1 West
of the 2nd Meridian Indiana, has been compared with
the Original notes in this Office, and found to be
correct.

Surveyor General's Office
Cincinnati April 7 1841

E. S. Gaines
Sur. Genl.